Number: 10/069, 799 CRF Processing Dat : 8/21/2 Edited by:
Changed a file from non-ASCII to ASCII ENTERED Edited by: Verified by: Verified by: (ST
Changed the margins in cases where the sequence text was "wrapped down to the next line.
Edited a format error in the Current Application Data section, specifically:
Edited the Current Application Data section with the actual current number. The number inputted by the applicant was the prior application data; or other
Added the mandatory heading and subheadings for "Current Application Data".
Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integ
Changed the spelling of a mandatory field (the headings or subheadings), specifically:
Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were:
Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited:
Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.
Inserted colons after headings/subheadings. Headings edited included:
Deleted extra, invalid, headings used by an applicant, specifically:
Deleted: non-ASCII "garbage" at the beginning/end of files; secretary initials/filename at end of page numbers throughout text; other invalid text, such as
Inserted mandatory headings, specifically:
Corrected an obvious error in the response, specifically:
Edited identifiers where upper case is used but lower case is required, or vice versa.
Corrected an error in the Number of Sequences field, specifically:
A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.
Deleted <i>ending</i> stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (er due to a Patentin bug). Sequences corrected:
Other:

^{*}Examiner: The abov corrections must be communicated to the applicant in the first Offic Action. DO NOT send a copy of this form.



PCT10

RAW SEQUENCE LISTING DATE: 08/21/2002 PATENT APPLICATION: US/10/069,799 TIME: 20:18:44

Input Set : A:\PTO.AMC.txt

```
3 <110> APPLICANT: Farn, Jacinta
        Strugnell, Richard
        Tennent, Jan
8 <120> TITLE OF INVENTION: Vaccine antigens of Moraxella
10 <130> FILE REFERENCE: 20-02
12 <140> CURRENT APPLICATION NUMBER: US 10/069,799
14 <141> CURRENT FILING DATE: 2002-02-28
16 <150> PRIOR APPLICATION NUMBER: PCT/AU00/01048
18 <151> PRIOR FILING DATE: 2000-08-31.
20 <150> PRIOR APPLICATION NUMBER: AU PQ2571
22 <151> PRIOR FILING DATE: 1999-08-31
24 <160> NUMBER OF SEQ ID NOS: 9
26 <170> SOFTWARE: PatentIn Ver. 2.1
28 <210> SEQ ID NO: 1
29 <211> LENGTH: 1114
30 <212> TYPE: PRT
31 <213> ORGANISM: Moraxella bovis
33 <400> SEQUENCE: 1
34 Met Ser Leu Gln Thr Gln Pro Ala Lys Arg Gly Phe Tyr Val Lys Pro
                     5
37 Leu Ser Met Ala Cys Met Leu Val Ile Ser Ala Ser Ser Thr Val Ser
                20
                                    25
40 Tyr Ala Asn Ser Ala Pro Met Ile Val Asp Ser Gln Tyr Asn Ser Ser
           35
                                40
43 Lys Tyr Ser Phe Tyr Asp Tyr Tyr Leu Asp Phe Leu Lys Arg Phe Arg
                            55
46 Pro Thr Pro Thr Pro Val Pro Ser Pro Val Arg Pro Ala Pro Glu Leu
                                            75
                        70
49 Val Arg Pro Thr Pro Ala Pro Ile Pro Ala Pro Thr Pro Val Pro Thr
                                        90
                    85
52 Pro Ala Pro Ile Ser Gly Gly Ile Ser Gly Ser Tyr Ile Ala Pro Val
               100
                                   105
                                                        110
55 Ser Pro Ser Glu Val Arg Gln Pro Asp Tyr Thr Arg Arg Val Gln Ala
          115
                               120
58 Asn Leu Lys Arg Asn Gln Pro Ala Pro Ser Ala Gly Thr Arg Thr Gly
                           135
61 Tyr Ser Val Met Asp Thr Ser Asn Asn Ser Asn Leu Thr Ser Lys Phe
                       150
                                           155
64 Tyr Gly Thr Thr Glu Asp Gly Tyr Ala Glu Arg Leu Asp Asn Leu Lys
                   165
                                       170
67 Asn Thr Ile Asp Thr Arg Gln Ala Lys Val Gly Val Ile Asp Thr Gly
                                   185
70 Ile Asn Arg Phe Asn Arg Asp Leu Val Gly Ala Asn Val His Asp Thr
```

Input Set : A:\PTO.AMC.txt

71			195					200					205			
	Gln	Ile	Glu	Cys	Val	Ser	Ala	Gly	Arg	Ser	Thr	Cys	Tyr	Thr	Pro	Glu
74		210		•			215	-	_			220	-			
76	Asn	Asp	Ser	Gly	Ile	Val	Glu	Ile	Pro	Thr	Thr	Ser	Ala	Ser	Gly	Ser
	225	•		•		230					235				-	240
79	His	Gly	Asn	Gln	Met		Ala	Val	Ile	Ala	Gly	Asn	Asn	Gly	Met	Thr
80		1			245					250	-			•	255	
	Asn	Ala	Lvs	Ile	Tvr	Glv	Ser	Asp	Ser	Ile	Asp	Arg	Arσ	Ser	Asn	Glv
83	•••		-1-	260	-1-	1			265			5		270		
	Glv	Asn	His		Leu	Met	Met	Ara		Leu	Asn	Gln	Asp	His	Glv	Val
86	1		275					280	-1-				285		1	
	Lvs	Tle		Asn	Asn	Ser	Trp		Ser	Asn	Asn	Thr	Asp	Gln	Trp	Tvr
89	-1-	290					295					300				-1-
	Ͳvr		Ala	Gln	Ara	Leu		Tvr	Asn	Pro	Thr	Thr	Glv	Gln	Ile	Asn
	305			·	9	310		-1-			315		1			320
		Asn	Pro	Ψvr	Δrσ		Ser	Tle	Thr	Asn		Glu	۷al	Thr	Leu	
95	110	11511		-1-	325	****	001	110		330					335	
	Val	Tlo	Hic	Aen		Tle	Met	λen	Δrσ		Ser	Leu	Tle	Tle		Δla
98	Vai	110	1113	340	пси	110	ncc	ASII	345	пор	OCI	Deu	110	350	נענ	niu
	ነ ሞኮ፣	. 613	, Aer		(C1v	r T.e.u	λen	λer		ніс	λer	. Glu	Δcn		ıλla	Pro
101		GIY	355		GIY	псо	. ASI	360		LILLO	, not	, 610	365		ni	
		Mot			· Aen	Dhe	Tare			r Dhe	т1-	ጥ ከተ			· Ser	Pro
104		370		Jei	. ASI	riic	375		, G ₁	FIIC	. 110	380				
				Dhe	Clv	Tare			иіс	. Cvc				• ∧1 ±	Gli	Trp
	7 385		. nst	, 1110	. Gry	390		. ASI	11112	, cys	395		1111	. AIC	. 010	400
			Ser	· 10 1 -	Thr			ጥኮ፣	· 61r	λen			λen	Δer	. Glv	Arg
110		, vai	. 501	. AIG	405		561	1111	GII	410		. Ala	, ASI	. vol	415	
		Car	· Cor	• Фълг			Thr	Ser	Dro			- Ala	Δτο	r Val		Gly
113			JCI	420	_	017	T11T	001	425					430		
		· 11 =	Val			Gln	Ser	· 101 =			, Trr	Met	T.v.c			. Asn
116		. AIC	435		· vai	. 6111	JCI	440	_		, ++1	, 1100	445		010	. Abii
		Ser			· Tle	T.eu	GIV			Lvs	Agr	Phe			Tle	Thr
119		450			110		455		1110	. 170	11.5	460		010		
				Pro	Asn	Glv			Gla	7 T.eu	Arc			Ser	· Ara	Leu
	465					470	_	011	. 01		475	_	, , , ,		••••	480
			Glv	י ייי	TVT			ጥህነ	ייטיי	· Thr			Gln	Glv	Asn	Phe
125		, 501	011	-1-	485		001	-1-	-1-	490				. 011	495	
		· Val	Pro	Glv			Asn	Trr	Gli			r Ara	Tle	Val		Asn
128	_	, vai		500		, , , ,	11011		505		* *** 5			510		
		Δcr	Glv			Tle	Thr	Фт			Gly	Tro	Glv			Asp
131		ASI.	515		, ASII	110	1111	520		, nop	, 01,		525		ПС	, wab
		C 3 1			בוג	Luc	Glv			, Glu	Dhe	. Ти			λen	Val
134		530		Ala	ALG	шуз	535	_	GLY	GIY	riic	540		, voř	, usi	Val
				. The	- T 17 C	Clu			LA	CAT	. 17-1			λcn	Acr	Leu
	545		. nob	. 1117	пÃр	550		FIC	, חבר	, oet	555		+ 1 1	nol	. nob	560
			, Ac-	Tua	C1.			T 170	T 120	. cl.			Lvo	Lev	17-1	Phe
	_	оту	ASP	ьп	565		TIIT	ту	пув	570		. сту	пÃр	ם ביי	575	
140		. C1-	. A ~ ~	700			Lva	C1 **	. 70-			T1 ~	G1	G1+		Ser
		СТХ	ASI	580		TÄT	пŽS	- сту	585		val		GIU	590		261
143	,			200					202	,				250		

Input Set : A:\PTO.AMC.txt

145 146	Leu	Glu	Val 595	Asn	Gly	Asn	Asn	Gly 600	Gly	Ser	Thr	Met	Val 605	Val	Lys	Gly
	Gly	Glu 610		Thr	Gly	Tyr	Gly 615		Val	Ala	Asn	Val 620		Gln	Thr	Gly
151	Gly 625		Val	Asn	Asn	Glu 630		Asn	Leu	Asn	Ile 635		Gly	Asp	Tyr	Asn 640
154	Ile	Asn	Thr	Gln	_		Val	Asp	Ala	_		Lys	Ala	Gln		
155	Asn	Met	T.e.u	ጥከኮ	645 Val	Δen	Glv	Lve	Δla	650	T.e.ii	Glv	G) v	Thr	655	Asn
158		1100	шец	660		пор	017	2,0	665	2,0		O _L 1	011	670	200	
160 161	Leu	Thr	Gly 675	Glu	Thr	Lys	Asp	Gly 680	Ile	Ile	Ser	Lys	Ser 685	Gly	Ser	Arg
163 164	Ser	Thr 690	Val	Leu	Arg	Ala	Lys 695	Arg	Gly	Leu	Glu	Gly 700	Gln	Phe	Asp	Asn
	Tyr		Ser	Ser	Asn	Pro		Phe	Glu	Val	Thr		Val	Glu	Tyr	Thr
	705					710					715					720
169 170	Pro	Glu	Val	Asp	Arg 725	Asn	Gly	Arg	Val	Val 730	Gly	Gly	Ser	Arg	Thr 735	Asn
	Asn	Asp	Val		Val	Thr	Ala	Lys	_	Leu	Ser	Ala	Gly		Val	Val
173		C1	т1.	740	16a b	3	3	C	745	C	3	77a 1		750	2 ~ ~	T 011
176	Tyr	GIY	755	ser	met	Asn	Asp	760	GIY	ser	Arg	vai	765	GIN	ASN	ьeu
178 179	Asp	Lys 770	Val	Leu	Asn	Asp	Leu 775	Asp	Lys	Lys	Gln	Glu 780	Thr	Gln	Gly	Ser
	Leu 785	Thr	Ser	Asp	Glu	Lys 790	Gln	Phe	Ala	Asn	Arg 795	Val	Phe	Thr	Gly	Phe 800
	Glu	Asn	Met	Asn	Ser		Ala	Glu	Ser	Lys		Ser	Thr	Val	Ser	
185	;				805	_				810					815	
187	Asn	Arg	GIU	Leu 820	Tyr	Lys	Leu	Asp	825	Thr	Pne	Tyr	Ala	830	Ser	Ala
190 191	Leu	Asn	Ala 835	Val	Glu	Asp	Ser	Ala 840	Asn	His	Ala	Thr	Glu 845	Phe	Gly	Lys
	Arg	Val		Ala	Pro	Arq	Gly		Trp	Gly	Asn	Ile		His	His	Asp
194		850					855					860				
	Tyr	Asp	Val	Glu	Leu		His	Ala	Thr	Ser		Arg	Lys	Gly	Asn	
	865	C	77- 7	C1	31-	870	ш,	~1 ~	m1	31-	875	3	T1.	C	37a 7	880
200	Ile	ser	var	GIY	885	Ser	Thr	GIN	Thr	890	Ата	Asp	ше	ser	895	GIY
	Ala	Gln	T.e.u	Δen		Ser	T.v.e	T.e.u	Aen		Glu	Glu	Ser	Val		Glv
203		GIII	пси	900	vai	501	цуз	пси	905	пси	OIU	Olu	001	910	-1-	017
	Ile	Glv	Asn		Thr	Lvs	Thr	Asp		Ile	Glv	Leu	Thr		Glv	Ala
206		2	915	-4				920			2		925		1	
208	Ser	Lys	Lys	Leu	Gly	Asp	Ala	Tyr	Leu	Ser	Gly	Trp	Val	Lys	Gly	Ala
209		930					935					940				
	Lys	Val	Asp	Thr	Glu		Asn	Arg	Gly	Glu		Ser	Asn	Lys	Val	
	945	_		_	_	950					955			_,		960
214 215	Tyr	Asn	Gly	Lys	Leu 965	Tyr	Gly	Ala	Gly	Ile 970	Gln	Ala	Gly	Thr	Asn 975	Ile
	Asp	Thr	Ala	Ser		Val	Ser	Val	Gln	Pro	Tyr	Ala	Phe	Val	Asn	His

Input Set : A:\PTO.AMC.txt

```
218
                980
                                     985
                                                         990
220 Gln Gln Tyr Lys Asn Asp Gly Ser Phe Asn Asp Gly Leu Asn Val Val
            995
                               1000
                                                    1005
223 Asp Asp Ile Glu Ala Lys Gln Thr Gln Val Gly Val Gly Ala Asp Met
       1010
                           1015
                                                1020
226 Val Phe Gln Ala Thr Pro Ala Leu Gln Leu Thr Gly Gly Val Gln Val
                       1030
                                            1035
229 Ala His Ala Val Ser Arg Asp Thr Asn Leu Asp Thr Arg Tyr Val Gly
230
                   1045
                                        1050
232 Thr Ala Thr Asp Val Gln Tyr Gly Thr Trp Asp Thr Asp Lys Thr Lys
233
               1060
                                    1065
                                                        1070
235 Trp Ser Ala Lys Val Gly Ala Asn Tyr Asn Val Thr Pro Asn Ser Gln
236
           1075
                               1080
238 Val Gly Leu Asn Tyr Ser Tyr Thr Gly Ser Gly Asp Ser Asp Ala Ser
                           1095
                                                1100
241 Gln Val Gly Val Ser Phe Thr Ser Lys Phe
242 1105
                       1110
246 <210> SEQ ID NO: 2
247 <211> LENGTH: 4384
248 <212> TYPE: DNA
249 <213> ORGANISM: Moraxella bovis
251 <400> SEQUENCE: 2
252 ttctcatgtt tgacagctta tcatcgataa gctttaatgc ggtagtttat cacagttaaa 60
253 ttgctaacgc agtcaggcac cgtgtatgaa atctaacaat gcgctcatcg tcatcctcgg 120
254 caccetcace etggatgetg taggeatagg ettggttatg eeggtactge egggeetett 180
255 gcgggatatc gtccattccg acagcatcgc cagtcactat ggcgtgctgc tagcgctata 240
256 tgcgttgatg caatttctat gcgcacccgt tctcggagca ctgtccgacc gctttggccg 300
257 ccgcccagtc ctgctcgctt cgctacttgg agccactatc gactacgcga tcatggcgac 360
258 cacaccegte etgtggatea ataattaatg aacatatata etetatttaa tatttettat 420
259 ttattcgtaa tattgccata aaaataatac attatttcta tattaactaa actgttaata 480
260 tttgtaaata ataaacattt gtttatctaa aaaaataaat aatataaatc aagcaattac 540
261 aatcttattt ttgaaaatac aataatactg caattgctta atctagacat taagtttatt 600
262 tttgattaaa attgccaaaa cttgtgtaaa taagtttcac cgaattgata ctttaagggt 660
263 atcaatattg caacatggta aatgattgct atgttgttgg gcattgcata aattgtctat 720
264 aataacttgt tatggatgat tgatggcaat gataaactta gtgacaatga taaacgcaaa 780
265 gaggtgtaat atgtcattac aaactcaacc tgccaagaga gggttctatg ttaagccttt 840
266 aagtatggct tgcatgctgg taattagtgc tagtagtacg gtaagttatg ccaactcagc 900
267 tccaatgatt gttgattcac agtacaatag ttctaaatac tctttctacg attactattt 960
268 agattteett aaaegtttta gaccaactee aacteeagtg ceaageeetg tgagaeegge 1020
269 teetgaacte gttegteega eeccageece gatteegget eeaacgeetg tgeeaacace 1080
270 ggcaccaatt agtggcggta tatcaggtag ctatattgct ccagtatcgc catcagaggt 1140
271 gagacageet gattacacaa gaegegttea ageeaateta aaaegeaaee aaeetgeaee 1200
272 aagtgctggc acacgtacag gttatagtgt catggatacg tcaaataatt ctaatttgac 1260
273 atctaaattt tatggcacaa ccgaagatgg ttatgccgag cgtcttgaca acctaaagaa 1320
274 caccattgat acacgtcaag ccaaagtagg tgtgattgat acaggcatta accgcttcaa 1380
275 ccgagacttg gttggtgcaa atgtgcatga tacacagatt gagtgtgttt ctgctggacg 1440
276 ttccacctgc tatacgccag aaaatgattc aggcattgtt gaaatcccaa caacctctgc 1500
277 tagtggtagt catggcaacc aaatggcggc tgtcatcgct ggtaacaacg gcatgaccaa 1560
278 cgccaaaatt tacggcagtg acagtattga tcgacgttca aatggtggca accatttctt 1620
```

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\08212002\J069799.raw

279 gatgatgcgt aagctgaacc aagaccatgg tgtcaagatt tttaacaact cttggggttc 1680 280 taacaacact gaccaatggt actacgatgc tcagcgccta aattacaatc ctactacagg 1740 281 acagattaat ccaaatcctt acagaaccag tattaccaat gctgaagtga ctttgcctgt 1800 282 cattcatgat cttattatga atcgtgactc gcttatcatt aaagcaacag gtaacgaagg 1860 283 cttgaacgat gctcatgatg aaaacctagc accgctcatg aacagcaact tcaaaaaagg 1920 284 tttcattact gtctcctcgc ctagagaaga ttttggtaaa gcgaatcatt gtggtcgaac 1980 285 tgccgaatgg tgtgtatccg caacatcatc tacccaaaat tacgccaacg atggcagact 2040 286 gagtagctat aagggtacat cacctgcaac cgctcgtgtg tccggcacgg cagtgctcgt 2100 287 gcaatctgct tatccttgga tgaaaaatga aaatatctct caaaccattt tgggtactgc 2160 288 caaggatttc tcagagatta ctgccaattc acctaatggc taccaaggac taagaaaggt 2220 289 tagtagattg ccatctggtt attacggctc ttattacact gacaatcagg gtaatttcta 2280 290 tgttcctggc aatgtcaatt gggaaaaccg tcgaattgtc gctaatcata acggcaagaa 2340 291 cattacatgg gaagatggtt ggggtttgtt agatccagaa gcggccgcta aaggttatgg 2400 292 tggtttctat tgggataatg tggaattaga cactaaaggc acgcctttat ctgtattcta 2460 293 caatgaccta aaaggtgata aaggctttac caaaaaaggt gaaggtaaac ttgtctttac 2520 294 tggtaataat agctataaag gcgactctgt catcgagggt ggttcactag aagtaaatgg 2580 295 taacaacggt ggttcaacca tggttgttaa aggtggtgaa ctaacaggtt atggtaatgt 2640 296 agctaatgtt cgtcaaacag gtggttgggt taacaacgaa ggtaacctaa acatcagagg 2700 297 tgactacaac atcaacactc aacgtggcgt ggatgctggt ctaaaaagctc aatttggcaa 2760 298 catgcttacc gtggacggta aggccaaact aggtggtaca ctaaatctaa ctggtgagac 2820 299 caaagatggt atcatcagca aatcaggtag ccgtagcact gtacttcgtg ctaagcgtgg 2880 300 tcttgaaggt caatttgaca attatcgttc aagcaaccca ttatttgaag taacaaatgt 2940 301 tgaatatacg ccagaagtag acagaaatgg cagagtggta ggtggttcac gcacgaacaa 3000 302 tgacgtgcaa gtaactgcca aacgtctaag tgcaggcaat gttgtttatg gcatcagcat 3060 303 gaatgacagt ggtagccgtg ttgcacaaaa cctagacaaa gtacttaatg atttagataa 3120 304 aaaacaagaa acacaaggtt cactgaccag tgatgagaag caatttgcta accgtgtatt 3180 305 cactggtttt gaaaacatga attctggtgc agaatctaaa ctttctacag taagcaccaa 3240 306 ccgtgagcta tacaagcttg acccaacttt ctatgctgac agtgcattaa acgcagtaga 3300 307 agacagtgct aaccatgcaa ccgaatttgg taagcgtgtt agcgccccaa gaggtgtttg 3360 308 gggtaatatc agtcaccatg attatgatgt agaactagag catgctacaa gtgcacgtaa 3420 309 aggcaacaac attagtgttg gtgcaagcac tcaaactgca gccgacatta gtgttggtgc 3480 310 acaacttgat gtaagtaaac ttgacttgga agaatctgtt tatggtattg gcaacaaaac 3540 311 caaaactgac agcattggct tgactgttgg tgcttctaag aagttgggtg atgcctatct 3600 312 atcaggttgg gtaaaaggtg ccaaagttga tacagaagcg aaccgtggtg aaaactctaa 3660 313 caaagttgag tacaatggta agctatatgg tgctggtatc caagcgggta caaacattga 3720 314 tactgcatcg ggcgtgagtg tacaacctta tgcctttgtt aaccatcagc agtacaaaaa 3780 315 cgatggtagc ttcaatgacg gtcttaacgt tgttgacgac atcgaagcaa aacaaactca 3840 316 ggtaggtgtg ggtgctgata tggtgttcca agcaacacct gctctacagc ttactggtgg 3900 317 tgtgcaagtt gctcacgctg ttagccgtga caccaaccta gacactcgct atgttggtac 3960 318 agcgacagat gtacagtatg gcacttggga tactgacaaa accaaatggt cagccaaggt 4020 319 tggtgctaac tataatgtga caccaaacag ccaagtgggt ctaaactaca gctacacagg 4080 320 tagtggcgat tcagatgctt cccaagtggg tgtgagcttc accagcaagt tctaattcat 4140 321 taataaggca acaaaaaaca gcacaatttc ggttgtgctg ttttttgtga tgccgagcgt 4200 322 aaaattttcc caaaaaaagc gtgataatta ccacgctttt ttattgcata ttgcaaaata 4260 323 gtattgcatt tatgggttgt taagcaaccc gtccaaatac cccctaaaca actccacccc 4320 324 aatcggtgct aacttgtttt gccacaggct cgtcaatgtg tcggcatcat caaccattac 4380 325 cgac 4384 328 <210> SEQ ID NO: 3 329 <211> LENGTH: 616

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\08212002\J069799.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:7; Xaa Pos. 14,16